

Zatavnění

Plocha hřiště

1

2

3

4

5

6

600

150

100

1400

1500

Technical drawing of a circular part with a central hole. The part has a diameter of 600. The central hole has a diameter of 100. The part is divided into four regions: 1 (central hole), 2 (outer ring), 3 (inner ring), and 4 (outer ring). The part is hatched with diagonal lines. The drawing includes dimension lines and labels for the regions and the diameter.

- 1 - Sloupek** - pro koš na streetball
- 2 - Betonová patka** - 600 x 600 mm, výšky 1 500 mm z betonu prostého C16/20.
- 3 - Betonová zálivka** - z betonu prostého minimálně C16/20.
- 4- Pouzdro** - Plastová trubka
- 5 - Kamenivo** těžené štěrkopísek
- 6 - Zemina**

Poznámka 2 : před započítím výkopových prací je dodavatel stavby povinen provést přesné zaměření a vytýčení průběhu sítí. V ochranném pásmu nelze použít k zemním pracím mechanizaci.

Zpracovatel	Ing. Jiří Elhota	Ing. Jiří Elhota Křimická 694 330 27 Vejprnice IČ: 1409970	
Podpis			
Město	Šumperk		
Kraj	Olomoucký	Datum	04/2016
Objednatel	Město Šumperk	Číslo zakázky	03/16
Stavba	Modernizace sportovišť u školských zařízení	Stupeň	DPS
Objekt	Základní škola Šumperk, Vrchlického 22	Měřítko	1 : 10
<div style="text-align: center;"> PATKA SLOUPKU PRO STREETBAL </div>		Číslo paré	
		Číslo přílohy	D.24